Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 18/05/2021 Version: 10.6

Generated : 18/05/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	ECO-MIX GLASS AND MIRROR CLEANER
UFI	5CS3-N0TX-A00C-X98M
Product code	: DT1005
Type of product	: Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture : Professional use

: For professional use only

: Glass cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

MANGROVE PROFESSIONAL

PO BOX 3348 STAFFORD ST16 9NW UNITED KINGDOM

Tel: 01785 253702 Email: info@mangroveprofessional.co.uk

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1, Sub-Category 1B	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS05 GHS07
Signal word (CLP)	: Danger
Contains	: 2-aminoethanol; ethanolamine; Alcohol Alkoxylate
Hazard statements (CLP)	: H302 - Harmful if swallowed.
	H314 - Causes severe skin burns and eye damage.
	H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	: P260 - Do not breathe spray.
	P264 - Wash hands thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear eye protection, protective gloves.
	P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water or shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P315 - Get immediate medical advice/attention.
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-aminoethanol; ethanolamine substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	15 – 30	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1B, H314
METHOXYMETHYLBUTANOL	(CAS-No.) 56539-66-3 (EC-No.) 260-252-4 (REACH-no) 01-2119976333-33	15 – 30	Eye Irrit. 2, H319
Hexyl glucoside	(CAS-No.) 54549-24-5 (EC-No.) 259-217-6 (REACH-no) 01-2119492545-29	5 – 10	Eye Dam. 1, H318
Alcohol Alkoxylate	(CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer	5 – 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
N,N-dimethyldecylamine N-oxide	(CAS-No.) 2605-79-0 (EC-No.) 220-020-5 (REACH-no) 01-2119959297-22	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	(5 ≤C ≤ 100) STOT SE 3, H335
Alcohol Alkoxylate	(CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer	(1 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">(10 <c 1,="" 100)="" <="" dam.="" eye="" h318<="" td=""></c></c>

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	s
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 May cause respiratory irritation. Burns. Causes serious eye damage. Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. 5.2. Special hazards arising from the substance or mixture Hazardous decomposition products in case of fire : Corrosive vapours. 5.3. Advice for firefighters No additional information available

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Use personal protective equipment as required.		
6.2. Environmental precautions			
Avoid release to the environment.			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	 Collect spillage. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. 	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and stora	age
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	Avoid contact with skin and eyes.Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures Storage conditions Incompatible products Incompatible materials Special rules on packaging	 Does not require any specific or particular technical measures. Keep container closed when not in use. Oxidizing agent. Strong acids. Metals. Keep only in original container.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-aminoethanol; ethanolamine (141-43-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Aminoethanol
IOEL TWA	2.5 mg/m³
IOEL TWA [ppm]	1 ppm
IOEL STEL	7.6 mg/m ³
IOEL STEL [ppm]	3 ppm
Notes	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Ireland - Occupational Exposure Limits	
Local name	2-Aminoethanol [Ethanolamine]
OEL TWA [1]	2.5 mg/m ³
OEL TWA [2]	1 ppm
OEL STEL	7.6 mg/m ³
OEL STEL [ppm]	3 ppm
Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-aminoethanol; ethanolamine (141-43-5)	
United Kingdom - Occupational Exposure Limits	
Local name	2-Aminoethanol
WEL TWA (OEL TWA) [1]	2.5 mg/m ³
WEL TWA (OEL TWA) [2]	1 ppm
WEL STEL (OEL STEL)	7.6 mg/m ³
WEL STEL (OEL STEL) [ppm]	3 ppm
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:	
Safety glasses. EN 166	

8.2.2.2. Skin protection

Skin and body protection:

Not required for normal conditions of use

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

Other skin protection

Materials for protective clothing:

Not required for normal conditions of use

8.2.2.3. Respiratory protection

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection:

Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	Blue.
Appearance	:	Liquid.
Odour	:	characteristic.
Odour threshold	:	Not available
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	≥ 100 °C
Flammability	:	Not available
Explosive limits	:	Not available
Lower explosive limit (LEL)	:	Not available
Upper explosive limit (UEL)	:	Not available
Flash point	:	> 70 °C
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
рН	:	12
Viscosity, kinematic	:	Not available
Solubility	:	soluble in water.
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50 °C	:	Not available
Density	:	Not available
Relative density	:	1.008
Relative vapour density at 20 °C	:	Not available
Particle size	:	Not applicable
Particle size distribution	:	Not applicable
Particle shape	:	Not applicable
Particle aspect ratio	:	Not applicable
Particle aggregation state	:	Not applicable
Particle agglomeration state	:	Not applicable
Particle specific surface area	:	Not applicable
Particle dustiness	:	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes	s as defined in Regulation (EC) No 1272/2008	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Harmful if swallowed. Not classified Not classified 	
GLASS CLEANER		
ATE CLP (oral)	1603.629 mg/kg bodyweight	
Skin corrosion/irritation	: Causes severe skin burns. pH: 12	
Serious eye damage/irritation	: Causes serious eye damage. pH: 12	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
(acute)	Not classified
Hexyl glucoside (54549-24-5)	

LC50 - Fish [1]	420 mg/l
Document generated @ 18/05/2021 12:43:48	Page 7 of 11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 - Other aquatic organisms [2] Alcohol Alkoxylate (166736-08-9) LC50 - Fish [1] EC50 - Crustacea [1]	180 mg/l 10 – 100 mg/l 10 – 100 mg/l
.C50 - Fish [1]	
.C50 - Fish [1]	
EC50 - Crustacea [1]	10 100 mg/l
ErC50 other aquatic plants	10 – 100 mg/l
2.2. Persistence and degradability	
o additional information available	
2.3. Bioaccumulative potential	
Hexyl glucoside (54549-24-5)	
Partition coefficient n-octanol/water (Log Pow)	1.7
N,N-dimethyldecylamine N-oxide (2605-79-0)	
Partition coefficient n-octanol/water (Log Pow)	3.69
2.4. Mobility in soil	
o additional information available	
2.5. Results of PBT and vPvB assessment	
o additional information available	
2.6. Endocrine disrupting properties	
o additional information available	
2.7. Other adverse effects	
o additional information available	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1. UN number or ID number		
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	: UN 1760 : UN 1760 : UN 1760	
14.2. UN proper shipping name		
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Transport document description (ADR)	 CORROSIVE LIQUID, N.O.S. CORROSIVE LIQUID, N.O.S. Corrosive liquid, n.o.s. UN 1760 CORROSIVE LIQUID, N.O.S. (2-AMINOETHANOL), 8, III, (E) 	
Document generated @ 18/05/2021 12:43:48		Page 8 of 11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport document description (IMDG) Transport document description (IATA)	: UN 1760 CORROSIVE LIQUID, N.O.S. (2-AMINOETHANOL), 8, III : UN 1760 Corrosive liquid, n.o.s., 8, III
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 8 : 8 : ^
	B
I MDG Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 8 : 8
	8
IATA	•
Transport hazard class(es) (IATA) Danger labels (IATA)	: 8 : 8
	8
14.4. Packing group	
Packing group (ADR)	: III
Packing group (IMDG) Packing group (IATA)	: III : III
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: C9 : 144
Special provisions (ADR) Limited quantities (ADR)	: 144 : 5l
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR)	: T7 : TP1, TP28
	: L4BN
Tank code (ADR)	
Tank code (ADR) Vehicle for tank carriage	: AT
Vehicle for tank carriage Transport category (ADR)	: AT : 3
Vehicle for tank carriage	: AT

DT1005

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates	:	80
		1760
Tunnel restriction code (ADR)	:	E
EAC code	:	2X
APP code	:	В
Transport by sea		
Special provisions (IMDG)	:	144
Limited quantities (IMDG)	:	5 L
Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)	:	P001, LP01
IBC packing instructions (IMDG)	:	IBC03
Tank instructions (IMDG)	:	T7
Tank special provisions (IMDG)	:	TP1, TP28
EmS-No. (Fire)	:	F-A
EmS-No. (Spillage)	:	S-B
Stowage category (IMDG)	:	А
Stowage and handling (IMDG)	:	SW2
Air transport		
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y841
PCA limited quantity max net quantity (IATA)	:	1L
PCA packing instructions (IATA)	:	852
PCA max net quantity (IATA)	:	5L
CAO packing instructions (IATA)	:	856
CAO max net quantity (IATA)	:	60L
Special provisions (IATA)	:	A3
ERG code (IATA)	:	8L

14.7. Maritime transport in bulk according to IMO instruments

IBC code

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:	
--	--

Component	%
non-ionic surfactants	5-15%

15.1.2. National regulations

United Kingdom

British National Regulations

: Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008. Detergent Regulation (648/2004/EC).

15.2. Chemical safety assessment	
No additional information available	

Document generated @ 18/05/2021 12:43:48

DT1005

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Full text of H- and EUH-statements:				
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4			
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4			
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation			
H302	Harmful if swallowed.			
H312	Harmful in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H335	May cause respiratory irritation.			
H336	May cause drowsiness or dizziness.			
H400	Very toxic to aquatic life.			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Acute Tox. 4 (Oral)	H302	Calculation method	
Skin Corr. 1B	H314	Calculation method	
Eye Dam. 1	H318	Calculation method	
STOT SE 3	H336	Expert judgment	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.