

# **SAFETY DATA SHEET**

### 1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY IDENTIFICATION.

**Trade Name:** 

FINISH Classic - Regular

**Product Format:** 

**Automatic Dishwashing Detergent** 

**Product Use:** 

Detergent for use in domestic automatic dishwashers

Supplier in UK

Reckitt Benckiser (Household) Ltd

Delta Business Park 1200 Welton Road

Swindon Wiltshire

80

SN5 7XZ tel: 0845 7697079

**Distributor In Republic Of Ireland:** 

Reckitt Benckiser Ireland Ltd

7 Riverwalk

Citywest Business Campus

Dublin 24 Ireland

tel: 01 661 7318

**Date Issued** 9<sup>th</sup> September

Reference D0012172 v8 Issue 1 Changes New product

2. HAZARDS IDENTIFICATION.

In accordance with local and national regulations:

The preparation is classified as dangerous in accordance with Directive 1999/45/EC

Symbol(s) Xi - Irritant

Most important hazards

R -phrase(s): R41 - Risk of serious damage to eyes.

Contains Subtilisins (proteolytic enzymes). May produce an allergic reaction.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS.

Chemical nature of the preparation Detergent for domestic use

Chemical Name	CAS No.	EINECS/ ELINCS	REACH No.	Proportion (%w/w)	Classification
Pentasodium triphosphate	7758-29-4	231-838-7		30 % - 60 %	unclassified
Sodium carbonate	497-19-8	207-838-8		15 % - 30 %	Xi:R36
Sodium percarbonate	15630-89-4	239-707-6		5 % - 10 %	O;R8
					Xi;R41
					Xn;R22
					Xi;R38
Sodium silicate	1344-09-8	215-687-4		< 2.5 %	Xi:R41
Citric acid	77-92-9	201-069-1		< 2.5 %	Xi:R36
Alcohols, C12-18, ethoxylated and propoxylated	69227-21-0	500-242-1		0.1 % - 1 %	Xi;R38
					N:R50
Subtilisins (proteolytic enzymes)	9014-01-1	232-752-2		< 0.1 %	Xn;R42
					Xi;R41-37-38
AMYLASE	9000-90-2	232-565-6		< 0.1 %	Xn;R42

For the full text of the R phrases mentioned in this Section, see Section 16

Other ingredients may be present as being disclosed by the ingredient declaration on package: Polycarboxylates, TAED, Phosphonates, Colourants, Perfume, Limonene.

# 4. FIRST-AID MEASURES.

Immediate medical attention: Immediate medical attention is required in case of contact with eyes

General Advice Show this safety data sheet to the doctor in attendance. If any symptoms persist, call

a physician.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin Contact Wash off immediately with plenty of water.

Inhalation Move to fresh air. If symptoms persist, call a physician

Ingestion Rinse mouth. Drink plenty of water. Do not induce vomiting. Consult a physician.

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES.

Suitable Extinguishing Media: The product is not flammable. All extinguishing media can be used.

Precautions for Fire Fighters: Standard procedure for chemical fires.

Special Protective Equipment for Wear self-contained breathing apparatus and protective clothing appropriate for fighting

Fire Fighters: a chemical fire.

### 6. ACCIDENTAL RELEASE MEASURES.

Emergency and Evacuation Ensure adequate ventilation.

Procedures:

Personal Precautions Use personal protective equipment.

Avoid contact with the skin and the eyes

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Local authorities should be advised

if significant spillages cannot be contained.

Methods for Cleaning up: Mop up spill and wash area with detergent and water.

Methods for Containment Prevent further leakage or spillage if safe to do so

### 7. HANDLING AND STORAGE.

HANDLING Ensure adequate ventilation.

Wear personal protective equipment

Use only in area provided with appropriate exhaust ventilation

Storage: Keep containers tightly closed in a cool, well-ventilated place

Keep in properly labeled containers

Storage Classification 13 (=Non-combustible solids, following German VCI-concept)

# 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION.

#### Exposure limits

The product does not contain any hazardous materials with occupational exposure limits established.

Chemical Name	Eυ	Germany TRG\$900:	German mak:	France - OEL	Belgium - OEL	Netherlands - OEL
Subtilisins (proteolytic enzymes) 9014-01-1						Ceiling: 0.00006 mg/m³ Ceiling

Chemical Name	Norway - OEL	UK - OES	Portugal - OEL	Spain - OEL	Sweden - OEL	Austria - OEL
Subtilisins (proteolytic enzymes) 9014-01-1				VLA-EC: 0.00006 mg/m³ VLA-EC	LLV: 1 glycineunit/m³	
					LLV: 3 glycineunit/m³	

### Occupational exposure controls

Engineering Controls: Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection: No special protective equipment required

Eye Protection Tightly fitting safety goggles

Hand Protection: Protective gloves: Permeation level 6, Penetration level 3 following EN374, taking into

consideration the exposure of chemicals given in chapter 3.

Environmental exposure controls Do not allow material to contaminate ground water system

Hygiene measures

When using, do not eat, drink or smoke.

Environmental exposure controls Local authorities should be advised if significant, large quantity spillages cannot be

contained.

# 9. PHYSICAL AND CHEMICAL PROPERTIES.

Physical State: Solid

Appearance: Tablet.

Colour: Blue. White. Red.

Odour: Characteristic. Hq 10.5 (10%)

Interpretation of reserve not irritant, not corrosive.

Boiling Point/Range: No information available Melting Point/Range No information available Flash Point: No information available

Viscosity: Not applicable

### 10. STABILITY AND REACTIVITY.

Stability Stable under recommended storage conditions.

Conditions to Avoid Protect from water. Temperatures above 40 °C / 104 °F for a long period of time.

# 11. TOXICOLOGICAL INFORMATION.

### PRODUCT TOXICITY DATA

LD<sub>50</sub> Oral: 5561.492 mg/kg (rat)

LD<sub>50</sub> Dermal: 8644.555 mg/kg (rat) estimated LC<sub>50</sub> Inhalation (Dust): 4690.623 mg/L estimated (dust) mg/m<sup>3</sup>

LC<sub>50</sub> Inhalation (bust). 4090.023 mg/L estimated (dust) mg/L esti

Acute Effects:

Eye Irritation Risk of serious damage to eyes.

Skin Irritation None expected during normal conditions of use.

Inhalation May cause sensitization by inhalation.

Ingestion Health injuries are not known or expected under normal use.

Sensitization Not expected to be a skin sensitiser

Chronic Effects: No information available.

Specific Effects

Carcinogenic Effects: Not listed as carcinogenic by OSHA, NTP or IARC.

Mutagenic Effects No information available.

Reproductive Toxicity: No information available.

Additional Toxicity Information: Information is based on available component data and toxicity result of similar products.

# COMPONENT TOXICITY DATA

Chemical Name	CAS No.	LD50 Oral - With Units - Rat - mg/kg	LD50 Dermal - With Units - Rat/Rabbit - mg/kg
Pentasodium triphosphate	7758-29-4	3100 mg/kg (Rat)	7940 mg/kg (Rabbit)
Sodium carbonate	497-19-8	4090 mg/kg (Rat)	
Sodium percarbonate	15630-89-4	1034 mg/kg ( Rat )	
Sodium silicate	1344-09-8	> 2000 mg/kg (Rat)	
Citric acid	77-92-9	6730 mg/kg (Rat)	
Alcohols, C12-18, ethoxylated and propoxylated	69227-21-0	> 2000 mg/kg	
Subtilisins (proteolytic enzymes)	9014-01-1	3700 mg/kg (Rat)	
AMYLASE	9000-90-2	7500 mg/kg (Rat)	

#### 12. ECOLOGICAL INFORMATION.

Ecological Information: Release of large quantities into water may cause a pH-change resulting in danger for

aquatic life. Indication of danger to water:
- Germany: WGK = 2 (for bulk material).

Not applicable for product in domestic type pack sizes.

PRODUCT TOXICITY DATA

Aquatic toxicity: No information available.

COMPONENT TOXICITY DATA

Pentasodium triphosphate

Freshwater Algae Freshwater Fish Microtox Water Flea -

Sodium carbonate

Freshwater Algae EC50 = 242 mg/L 120 h

Freshwater Fish LC50 = 300 mg/L Lepomis macrochirus 96 h

Microtox

Water Flea EC50 = 265 mg/L 48 h

Sodium percarbonate

Freshwater Algae EC50 = 70 mg/L 240 h

Freshwater Fish LC50 = 70.7 mg/L Pimephales promelas 96 h

Microtox

Water Flea EC50 = 4.9 mg/L 48 h

Sodium silicate

Freshwater Algae

Freshwater Fish LC50 301 - 478 mg/L Lepomis macrochirus 96 h

LC50 = 3185 mg/L Brachydanio rerio 96 h

Microtox -

Water Flea EC50 = 216 mg/L 96 h

Citric acid

Freshwater Algae

Freshwater Fish LC50 = 1516 mg/L Lepomis macrochirus 96 h

LC50 = 440 mg/L Leuciscus idus 96 h

 Microtox
 EC50 = 14 mg/L 15 min

 Water Flea
 EC50 = 120 mg/L 72 h

Alcohols, C12-18, ethoxylated and propoxylated

 Freshwater Algae
 EC50 (72h): 1-10 mg/L

 Freshwater Fish
 LC50 (96h): 10-100 mg/L

Microtox

Water Flea EC50 (48h): 1-10 mg/L

Subtilisins (proteolytic enzymes)

Freshwater Algae Freshwater Fish Microtox Water Flea -

*AMYLASE* 

Freshwater Algae Freshwater Fish Microtox Water Flea -

Other Information

Ozone Depletion Potential (ODP) (R-11 = 1): No information available.

Additional Ecological Information: Contained surfactants are ultimately biodegradable according to

the EU Detergent Regulation, 648/2004.

No information available.

Global Warming Potential (GWP):

# 13. DISPOSAL CONSIDERATIONS.

Disposal Methods and Bulk quantities of product must be disposed of according to Local, State and Federal

Containers: regulations.

Special Precautions for Landfill

or Incineration:

No information available

Contaminated Packaging: Offer rinsed packaging material to local recycling facilities.

EWC waste disposal No 20 01 29 (detergents containing dangerous substances)

# 14. TRANSPORT INFORMATION.

General remarks Not classified as dangerous for transport. For long distance transport of bulk material or

shrinked paletts take into consideration sections 7 and 10.

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

### 15. REGULATORY INFORMATION.

Chemical safety assessment following regulation 1907/2006/EC: Chemical safety assessment following regulation 1907/2006/EC: not relevant.

The preparation is classified as dangerous in accordance with Directive 1999/45/EC

### Labelling

Contains Subtilisins (proteolytic enzymes). May produce an allergic reaction.

Symbol(s) Xi - Irritant



R -phrase(s) R41 - Risk of serious damage to eyes

S -phrase(s) S 2 - Keep out of the reach of children

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice

S39 - Wear eye/face protection

S46 - If swallowed, seek medical advice immediately and show this container or label

S35 - This material and its container must be disposed of in a safe way

### 16. OTHER INFORMATION.

# Risk Phrases:

- · R36 Irritating to eyes.
- R 8 Contact with combustible material may cause fire.
- · R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- R22 Harmful if swallowed.
- R50 Very toxic to aquatic organisms.

Reason for revision: Revised hazard classification.

Voluntary Labelling Consumer Information using one or more icons following the A.I.S.E. Charter for Sustainable Development may be displayed on packages additionally



This document complements the technical usage instructions but does not replace them. The information contained herein is based on our best current knowledge if the product concerned, and is given in good faith. The attention of recipients is drawn to (amongst other things) the element of risk consequent to use of the product other than that for which it was intended.

In no way does this document remove the need of the recipient of the product to fully understand and apply statutory requirements. It is the recipient's sole responsibility to take due precautions relative to the use made of the product. All information contained herein is only to assist the recipient in fulfilling their statutory duty connected with the use of hazardous materials.

This list of information must not be considered as exhaustive, and does not exonerate the recipient from taking other precautions described in documents other than those mentioned, concerning the storage and use of the product, for which they remain the sole person responsible.