

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 03/03/2021 Version: 10.4

Generated : 03/03/2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

Product form	:	Mixture
Trade name	:	TFR EXTRA
Product code	:	VC124
Type of product	:	Detergent

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	: 1	Professional use
Industrial/Professional use spec	: F	For professional use only
Use of the substance/mixture	: \	Vehicle cleaner (passenger cars, trucks, busses, rail vehicles)

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

MANGROVE PROFESSIONAL PO BOX 3348 STAFFORD ST16 9NW UNITED KINGDOM Tel: 01785 253 702

#### 1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01785 253 702

SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		
Classification according to Regulation (EC) No. 1272/2008 [C	LP]	
Skin corrosion/irritation, Category 1, Sub-Category 1B	H314	
Serious eye damage/eye irritation, Category 1	H318	
Full text of H statements : see section 16		
Adverse physicochemical, human health and environmental	effects	
No additional information available		
2.2. Label elements		
Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
Hazard pictograms (CLP) :		

Signal word (CLP)
Contains
Hazard statements (CLP)

GHS05

: Danger

- : sodium hydroxide; caustic soda
- : H314 Causes severe skin burns and eye damage.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	<ul> <li>P264 - Wash hands thoroughly after handling.</li> <li>P280 - Wear eye protection, protective gloves.</li> <li>P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water or shower.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P315 - Get immediate medical advice/attention.</li> <li>P405 - Store locked up.</li> </ul>
--------------------------------	---

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

### Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	1 – 5	Skin Corr. 1A, H314
Sodium xylenesulphonate	(CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56	1 – 5	Eye Irrit. 2, H319
Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts	(CAS-No.) 68411-30-3 (EC-No.) 270-115-0 (REACH-no) 01-2119489428-22	1 – 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Alcohol Alkoxylate	(CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium laurylether sulphate	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8 (REACH-no) 01-2119488639-16	1 – 5	Eye Dam. 1, H318 Skin Irrit. 2, H315
N,N-dimethyldecylamine N-oxide	(CAS-No.) 2605-79-0 (EC-No.) 220-020-5 (REACH-no) 01-2119959297-22	0.1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C ≤ 100) Skin Corr. 1A, H314
Alcohol Alkoxylate	(CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer	( 1 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">( 10 <c 1,="" 100)="" <="" dam.="" eye="" h318<="" td=""></c></c>
Sodium laurylether sulphate	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8 (REACH-no) 01-2119488639-16	( 5 ≤C < 10) Eye Irrit. 2, H319 ( 10 ≤C < 100) Eye Dam. 1, H318

Full text of H-statements: see section 16

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>Get medical advice/attention if you feel unwell.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention.</li> </ul>
First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.</li> <li>Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.</li> </ul>
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>May cause respiratory irritation.</li> <li>Burns.</li> <li>Causes serious eye damage.</li> <li>Burns.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	

No additional information available

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel Emergency procedures	Evacuate unnecessary personnel.		
6.1.2. For emergency responders Protective equipment	Use personal protective equipment as required.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment a	nd cleaning up		
For containment Methods for cleaning up	Collect spillage. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.		

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

VC124

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

VC124

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul><li>Avoid contact with skin and eyes.</li><li>Do not eat, drink or smoke when using this product.</li></ul>
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures Storage conditions Incompatible products Incompatible materials Special rules on packaging	<ul> <li>Does not require any specific or particular technical measures.</li> <li>Keep container closed when not in use.</li> <li>Oxidizing agent. Strong acids.</li> <li>Metals.</li> <li>Keep only in original container.</li> </ul>

7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

sodium hydroxide; caustic soda (1310-73-2)		
Ireland - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL STEL	2 mg/m³	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:	
Safety glasses. EN 166	

#### 8.2.2.2. Skin protection

#### Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

## Other skin protection

### Materials for protective clothing:

Not required for normal conditions of use

### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

Not required for normal conditions of use

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 13.2
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≥ 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.07
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

#### Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Causes severe skin burns. pH: 13.2	
Serious eye damage/irritation	: Causes serious eye damage. pH: 13.2	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term (acute)	: Not classified	
Hazardous to the aquatic environment, long-term (chronic)	: Not classified	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium hydroxide; caustic soda (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

Sodium xylenesulphonate (1300-72-7)	
EC50 - Other aquatic organisms [1]	> 1020 mg/l waterflea

Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
LC50 - Fish [1]	1.67 mg/l
EC50 - Other aquatic organisms [1]	2.9 mg/l waterflea
EC50 - Other aquatic organisms [2]	127.9 mg/l

Alcohol Alkoxylate (166736-08-9)	
LC50 - Fish [1]	10 – 100 mg/l
EC50 - Crustacea [1]	10 – 100 mg/l
ErC50 other aquatic plants	10 – 100 mg/l

## 12.2. Persistence and degradability

### No additional information available

12.3. Bioaccumulative potential		
sodium hydroxide; caustic soda (1310-73-2)		
Partition coefficient n-octanol/water (Log Pow)	-3.88	
Sodium xylenesulphonate (1300-72-7)		
Partition coefficient n-octanol/water (Log Pow)	-3.12	
Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)		
Partition coefficient n-octanol/water (Log Pow)	3.32	
N,N-dimethyldecylamine N-oxide (2605-79-0)		
Partition coefficient n-octanol/water (Log Pow)	3.69	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		

No additional information available

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

No additional information available

VC124

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG)	: UN 1760 : UN 1760
UN-No. (IATA)	: UN 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: CORROSIVE LIQUID, N.O.S. : Corrosive liquid, n.o.s.
Transport document description (ADR)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III, (E)
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III
Transport document description (IATA)	: UN 1760 Corrosive liquid, n.o.s., 8, III
14.3. Transport hazard class(es)	
Transport hazard class(es) (ADR) Danger labels (ADR)	: 8 : 8
	8
IMDG	. 0
Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 8 : 8
IATA Transport hazard class(es) (IATA)	: 8
Danger labels (IATA)	: 8
14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG) Packing group (IATA)	: III : III
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant	: No : No
Other information	: No supplementary information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.6. Special precautions for user

Overland	transport
----------	-----------

Overland transport		
Classification code (ADR)	:	C9
Special provisions (ADR)	:	274
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T7
Portable tank and bulk container special provisions	:	TP1, TP28
(ADR)		
Tank code (ADR)	:	L4BN
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Hazard identification number (Kemler No.)	:	80
Orange plates	:	80
		1760
Tunnel restriction code (ADR)	:	E
EAC code		2X
APP code	:	В
Transport by sea		
Special provisions (IMDG)	÷	223, 274
Limited quantities (IMDG)		5 L
Excepted quantities (IMDG)		E1
Packing instructions (IMDG)		P001, LP01
IBC packing instructions (IMDG)		IBC03
Tank instructions (IMDG)	÷	T7
Tank special provisions (IMDG)		TP1, TP28
EmS-No. (Fire)		F-A
EmS-No. (Spillage)		S-B
Stowage category (IMDG)	÷	A
Air transport	•	
PCA Excepted quantities (IATA)		E1
PCA Limited quantities (IATA)		Y841
PCA limited quantity max net quantity (IATA)	:	1L
PCA packing instructions (IATA)	:	852
PCA max net quantity (IATA)		5L
CAO packing instructions (IATA)		856
CAO max net quantity (IATA)		60L
Special provisions (IATA)		A3
ERG code (IATA)		8L
	·	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code

: Not applicable.

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Detergent Regulation (648/2004/EC): Labelling of contents:			
Component	%		
anionic surfactants	5-15%		
non-ionic surfactants	<5%		

#### 15.1.2. National regulations

#### United Kingdom

**British National Regulations** 

 Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
 Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.
 Detergent Regulation (648/2004/EC).

## 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

## Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A			
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
H302	Harmful if swallowed.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H400	Very toxic to aquatic life.			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Skin Corr. 1B	H314	Calculation method		
Eye Dam. 1	H318	Expert judgment		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.