



Tork Conventional Toilet Roll Advanced – 2-Ply



Article	100200
System	T4 - Conventional toilet system
Colour	White
Ply	2
Roll length	23 m
Roll width	9.3 cm
Roll diameter	11 cm
Sheet length	11.5 cm
Core inside diameter	5.1 cm
Embossing	Yes
Print	No

Provide your guests with the comfort of being at home, away from home, with the Advanced Tork Conventional Toilet Roll. This toilet paper balances cost and performance for low-traffic washrooms.

Key benefits:

- Toilet tissue that effectively balances cost and performance

Environmental

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

Material

Recycled fibres

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like winers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the intregrity of the product

In the cleaning of our waste water we use flocculation agents and nutritients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification

To reuse broke and to utilise recovered fibres we use:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom

Article creation date and latest article revision

Date of issue: 19-04-2019 Revision date: 09-02-2021

The packaging material is made from paper or plastic.

Recycling of paper is an efficient use of resources as the wood fibres are used more than once.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

Production

This product is produced at SKELMERSDALE mill, GB and certified according to ISO 9001, BRC-loP, ISO 14001 (Environmental management systems), OHSAS 18001 and FSC Chain-Of-Custody.

Content

The product is made from

Bleaching is a cleaning process of the fibres that is often used. The aim is then to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

We do not use softeners for professional hygiene products.

Recycled fibres Chemicals

This product is certified for the EU Ecolabel.

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.

To control product performance we use additives:

This product is certified for FSC®.

Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite). Except for Natural Napkins that are unbleached.

Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

Contact

Clena Supplies Business phone: +44 (0) 1785 229 229 E-mail: sales@clenasupplies.co.uk

